

#### Building of brick walls, concrete walls, partitions, roof tile laying...

Suitable for working with bricks, sand lime bricks, concrete blocks or thermo-clay blocks. Excellent workability.

**BIKMOR 2000-M10** 



Grey color

**BIKMOR 2000-M7,5** 




Grey color

**BIKMOR 2001-M7,5** 



Grey / white color



#### Rendering of walls and also for grouting walls.

Suitable for conventional brick or concrete blocks indoor or outdoor.


Fine finishing and excellent workability.



BIKMOR 2002-M7,5FH
CSIV-WI Waterproofing

Bikain

Grey color



### Rendering of concrete walls (grey/white), patios, garages or dividing walls both indoors and

**outdoors.** With the addition of fibers (outdoor). Excellent workability due to their thixotropy. Good adherence to most of conventional supports.

BIKREV 3300 P



Grey / white color

BIKREV 3300PH CSIII-W1 Waterproofing




Grey / white color

BIKREV 3200



Grey color



### Different solutions for tiling ceramic pieces, both for walls and floors.

Both indoors and outdoors.



## LEVELLING MORTARS FOR FLOOR SCREEDS BIKAN

CT-C12-F3

Cernent based levelling mortar for indoor floor screeds in building sector.

Suitable for floors with underfloor heating systems. Both manual and machine application.



## MORTARS FOR MODULAR PANEL SYSTEMS

High strength spray mortar

suitable for making vertical load bearing panels with an expanded polystyrene (EPS) core and a metallic mesh.

Excellent workability with added fibers.

**BIKPANEL 9000** 



### DRY CONCRETE

Dry-mix concrete of 25N/m<sup>2</sup> strength and suitable for general masonry work as paving, screeds and restoration works.

**BIKHOR 11000-H25** 



BIKREPAR 5000-300ER



# CONCRETE REPAIR MORTARS

Mortar modified with polymers and fibers for structural repairing of concrete.

Class R3 in accordance with UNE-EN 1504-3. With added fibers. High-adherence thixotropic mortar manually or mechanically applicable.

